

Bid Document

Bid Details	
Bid End Date/Time	02-03-2020 09:00:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	70 (Days)
Ministry/State Name	Ministry Of Science And Technology
Department Name	Department Of Scientific And Industrial Research (dsir)
Organisation Name	N/a
Office Name	Csir - Central Salt & Marine Chemical Research Institute
Total Quantity	3
Item Category	Desktop Computers , Multifunction Machines MFM , Line Interactive UPS with AVR
MSE Exemption For Years Of Experience And Turnover	Yes
Startup Exemption For Years Of Experience And Turnover	Yes
Document required from seller	Certificate (Requested in ATC), OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	No
Primary product category	Desktop Computers

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

Desktop Computers (1 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Motherboard	Chipset Series	Intel H Series	Intel H Series, Intel B Series, Intel Q Series Or higher
	Expansion Slots (PCIe x 1) (Number)	1	*
	Chipset Number	Intel H370	Intel H310, Intel H370, Intel B360, Intel Q 250, Intel Q 270, Intel Q 370, Intel B 365 Or higher
	Expansion Slots (PCIe x 4) (Number)	0	*
	Expansion Slots (PCIe x 16) (Number)	1	*
	Expansion Slots (PCI) (Number)	0	*
	Expansion Slots (M Dot 2)	2	*
Processor	Processor Make	Intel	Intel
	Processor Generation	9	9.0 Or higher
	Number of Cores per Processor	6	6, 8 Or higher
	Processor Base Frequency (GHz)	3	*
	Processor Description	Intel Core i5	Intel Core i5, Intel Core i7, Intel Core i9 Or higher
	Processor Number	Intel Core i5 9500	Intel Core i5 8600, Intel Core i5 8600K, Intel Core i7 8700T, Intel Core i7 7700K, Intel Core i7 8700, Intel Core i7 8700K, Intel Core i5 9500, Intel Core i5 9600, Intel Core i7 9700, Intel Core i9 9900 Or higher

	Out of Band Management	NA	*
	Cache (MB)	9	*
Graphics	Graphics Type	Integrated	*
	Graphic Card Description	-	*
	Size of Memory in Case of Dedicated Graphic Card (GB)	0	*
	Size of VRAM in case of Integrated Graphics (MB)	-	*
Operating System	Operating System (Factory Pre-Loaded)	Windows 10 Professional	Windows 10 Professional
	Recovery Image Media	-	*
	OS Certification	Windows	*
Memory	Type of RAM	DDR4	*
	RAM Size (GB)	8	8, 16, 32, 64 Or higher
	RAM Speed (MHz)	2666	*
	Total Numbers of DIMM Slots Available	2	*
	Number of DIMM Slots populated	1	*
	RAM Expandability up to(using spare DIMM Slots in GB)	32	32, 64, 128 Or higher
Storage	Total Number of Internal Bays available	1	*
	Number of 2 point 5 inches internal Bays	0	*
	Number of 3 point 5 inches Internal Bays	1	*
	Number of 2 point 5 Inches Internal Bays Populated	0	*
	Number of 3 point 5 Inches Internal Bays Populated	1	*
	Type of Drives used to populate the Internal Bays	HDD,SSD	HDD, SSD
	Number of Internal Bays populated with HDD	1	*
	Capacity of each HDD	500 @7200 rpm	*

	(GB)		
	Total HDD Capacity (GB)	500	500, 1000, 1500, 2000, 2500, 3000 Or higher
	Number of Internal Bays populated with SSD	1	*
	Capacity of each SSD (GB)	256	*
	Total SSD Capacity (GB)	256	256, 384, 512, 768, 1024, 2048 Or higher
	Number of Internal Bays populated with SSHD	0	*
	Capacity of each SSHD (GB)	NA	*
	Total SSHD Capacity in addition to 8 GB Flash (GB)	0	500, 1000, 2000, 0 Or higher
	Optane Memory (GB)	0	*
Cabinet	Cabinet Form Factor	SFF (7 to 13 Litres)	SFF (7 to 13 Litres)
	Cabinet Volume (Litres)	-	*
	External Bays (Number)	1	*
	Optical Drive	N/A	*
	Internal Speaker	Yes	*
	Audio-in	Yes	*
	Audio-out	Yes	*
	Headphone out	Yes	*
	Microphone-in	Yes	*
Connectivity	Wireless Connectivity	No	*
	If Yes, Type of Wireless Connectivity	NA	*
	Number of Ethernet Ports	1	*
	Type of Ethernet Ports	10/100/1000 on board Integrated Gigabit Port	*
	Bluetooth Connectivity	No	*
	If Yes, Version of Bluetooth Available	0	*
Ports	Number of USB Version 2 Point 0 Ports	4	*
	Number of USB Version 3 point 0 / 3 point 1, Gen 1 Ports	4	*

	Number of USB Version 3 point 1, Gen 2 Ports	0	*
	Number of USB Type C Ports	0	*
	Number of Serial Ports	0	*
	Number of Parallel Ports	0	*
	Number of VGA Ports	0	*
	Number of HDMI Ports	1	*
	Number of DP Ports	1	*
Monitor	Model of the Monitor	-	*
	Monitor Technology	TN	IPS, TN, VA Or higher
	LED Backlit Monitor Size (INCHES)	19.5	19.5, 21.5, 22, 23, 24, 27, 20, 23.8 Or higher
	Monitor Resolution (PIXELS)	1600 x 900	1600 x 900, 1920x1080, 1920 x 1200, 3200x1800, 3840 x 2160 Or higher
	TCO Certification for Monitor	-	*
	Number of VGA Ports in the Monitor	1	*
	Number of HDMI Ports in the Monitor	0	*
	Number of Display Ports in the Monitor	1	*
	Availability of Webcam integrated with Monitor	No	*
	If Yes, Resolution of Webcam	NA	*
	Availability of Speakers integrated with Monitor	No	*
	If Yes, Number of Speakers available	0	*
Power	Power Supply Capacity (Watt)	-	*
	Minimum Power Efficiency Range (%)	85 - 89	*
Certification	ROHS Compliance	Yes	*
	BEE / Energy Star for the given Model	Yes	*
Input Devices	Mouse Connectivity	Wired	*
	Type of Mouse	Optical Scroll	*
	Keyboard Connectivity	Wired	*

	Type of Keyboard	Standard with Rupee Symbol	*
Operating Conditions	Minimum Operating Temperature	5	*
	Maximum Operating Temperature	35	*
	Minimum Operating Humidity (%RH)	20	*
	Maximum Operating Humidity (%RH)	80	*
Warranty	On Site OEM Warranty (Year)	3	3, 5, 4 Or higher

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Patel Rakeshkumar Mavjibhai	364001,CSIR-Central Salt & Marine Chemicals Research Institute Gijubhai Badheka Marg Bhavnagar 364001	1	30

Multifunction Machines MFM (1 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Ungrouped	Print Technology	Laser	Laser
	Type of Machine	Multifunction Machine	Multifunction Machine
	Type of Printing	Mono	Mono
	Cartridge Technology	Separate Drum and Toner (Mono Component)	Composite Cartridge, Separate Drum and Toner (Mono Component), Separate Drum and Toner (Dual Component) Or higher
	Developer Unit	No	*

Platen/Flatbed Size	A4	A4, A3, Legal Or higher
Paper Size (Original/Image)	A4/A4	A4/A4
RAM size (MB)	256	128, 256, 512, 1024, 2048, 4096, 6144, 3072, 320, 768, 1536, 1500, 758, 1250, 2560, 7168, 5120, 8192, 16384, 2816, 4000, 2000, 10240 Or higher
Hard Disk Capacity(GB)	0	0, 8, 128, 160, 256, 320, 500, 1024, 250, 640, 32, 1000, 2000, 3000 Or higher
Minimum Speed per Minute as per ISO/IEC 24734 in A4 Size-Mono	28	28, 30, 31, 35, 36, 38, 40, 43, 45, 46, 47, 50, 52, 55, 60, 61, 65, 70, 71, 75, 80, 90, 95, 100, 105, 110, 51, 56, 41, 120, 130, 160, 57, 33, 34, 32, 85, 81, 53 Or higher
Minimum Speed per Minute as per ISO/IEC 24734 in A4 Size-Colour	0	12, 15, 16, 18, 20, 22, 23, 24, 25, 26, 27, 28, 30, 31, 35, 36, 4, 4.4, 5, 5.7, 5.8, 6.8, 10, 10.4, 15.5, 40, 50, 60, 5.5, 11, 46, 120, 130, 160, 65, 45, 7, 34, 55, 38, 56, 75, 81, 19, 71, 0, 21, 53 Or higher
Minimum Speed per Minute as per ISO/IEC 24734 in A3 Size-Mono	0	*
Minimum Speed per Minute as per ISO/IEC 24734 in A3 Size-Colour	0	*
Scanning Feature Availability	Yes	Yes Or higher
Duplexing Feature Availability	Yes	Yes Or higher
Faxing Feature Availability	No	Yes, No Or higher
Speed of Fax, If Fax Feature is available	NA	*
Networking Feature Availability	Yes	Yes Or higher
If yes, Type of Network Interface	Ethernet 10/100	*

Wi-Fi Availability	No	Yes, No Or higher
If yes,Wi-Fi Type	NA	*
Original Document Feeder Type	ADF	ADF, DADF/RADF, SPDF Or higher
Feeder Capacity (Number)	35	*
Number of Main Paper Tray	1	1, 2, 3, 4, 5 Or higher
Each Main Paper Tray Capacity (Number)	250	*
Bypass Facility	Yes	Yes Or higher
If Yes, Bypass Tray Capacity	10	*
Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Cyan colour (Number of prints)	0	*
Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Yellow colour (Number of prints)	0	*
Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Magenta colour (Number of prints)	0	*
Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19752/2004(E) for Black (Number of prints)	15000	*
Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Cyan (Number of Prints)	0	*
Life of Drum in terms of number of Prints in case of Separate Drum	0	*

	and Toner cartridge technology - Yellow (Number of Prints)		
	Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Magenta (Number of Prints)	0	*
	Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Black (Number of Prints)	23000	*
	Duty Cycle (No of Prints/month)	40000	*
	Minimum Operating Temperature (Degree C)	15	*
	Maximum Operating Temperature (Degree C)	32	*
	Minimum Operating Humidity (%RH)	10	*
	Maximum Operating Humidity (%RH)	80	*
	BIS Registration under CRS of Meity	Yes	*
	BIS Registration Number	-	*
	Other Certifications Available	UL,CE	*
	Dimension (mm x mm x mm)	-	*
	Weight (Kg)	-	*
	On Site OEM Warranty (Year)	3	3, 4, 5 Or higher

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti	Address	Quantity	Delivery Days
-------	-------------------	---------	----------	---------------

	ng Officer			
1	Patel Rakeshkumar Mavjibhai	364001,CSIR-Central Salt & Marine Chemicals Research Institute Gijubhai Badheka Marg Bhavnagar 364001	1	30

Line Interactive UPS With AVR (1 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	Rating in KVA/ min VAH capacity of battery (KVA/VAH)	0.65/168	0.65/168
	Technology	IGBT-PWM	IGBT-PWM
	Type of battery	SMF-VRLA confirming to JISC-8702 Pt 1,2 &3	SMF-VRLA confirming to JISC-8702 Pt 1,2 &3
	Rated Output (Volt)	Single Phase Quasi-Sin-wave 230 V AC, 50 Hz	Single Phase Quasi-Sin-wave 230 V AC, 50 Hz
	Degree of protection	IP 20	IP 20
	Inverter Efficiency (%)	> / = 70%	> / = 70%
	Warranty for the battery from the date of delivery	1 year	1 year
	Warranty for Line Interactive UPS	3 Years	3 Years
	Installation and commissioning instructions	Yes	*
CONSTRUCTIONAL	Type of enclosure	ABS	*
	AC out put for printer (not through inverter)	No	No
	Inverter out put socket AC out put for printer (not through inverter)	3 Three pin	3 Three pin
FUNCTIONAL	Total harmonic distorsion (%)	< / = 40%	*
	Input (Volt)	Single phase sinewave(160-280v)	*
	Switching over time (Mili sec)	Maximum 10 milli seconds	*

	Overload Time (Minutes)	> / = 10 minutes	> / = 10 minutes
	Load power factor	> / = 0.6	> / = 0.6
	Variation in AVR output in AC mode (%) AVR (Voltage regulation) output voltage in AC Mode	230 Volts +/-9%, 50 +/-3 Hz	230 Volts +/-9%, 50 +/-3 Hz
	Overload (%)	> /=10%	*
	Variation in output voltage in battery mode (%) (UPS output voltage in battery mode)	230 Volts +/- 10%	*
	Variation on output frequency in battery mode (Hz)	< /=0.5	*
PROTECTION	Protection against (over discharge) discharge per 12v battery (Volt)	10.5	*
	Protection for outside input voltage range: If Input voltage goes outside the range 160 to 280 Volts, the system shall switch over to battery mode	Yes	*
	Protection against short circuit of UPS	Yes	*
	Protection for over voltage and over load	Yes	*
REPORTS AND CERTIFICATIONS	Damp heat Test at 45 degree , RH -95% for 2-cycle as per IS:9000 pt-5/sec-1	Yes	*
	Dry heat Test at 45 degree for 16 Hrs as per IS:9000 pt-3/sec-5	Yes	*
	Cold Test as per IS:9000 pt-2/sec-4	Yes	*
	Availability of the type test report from central Govt./NABL/ILAC Accredited Lab	Yes	*
	Type Test certificate no. and date	-	*
	Name Of Lab	-	*

Address of Lab	-	*
As per Meity (Government of India) guidelines UPS shall have valid BIS CRS certifications as applicable	Yes	*

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Patel Rakeshkumar Mavjibhai	364001,CSIR-Central Salt & Marine Chemicals Research Institute Gijubhai Badheka Marg Bhavnagar 364001	1	30

Special terms and conditions for category Desktop Computers

1) As per notification of MEITY circulated vide letter no. F.No.33(1)/2017-IPHW..dated :14/09/2017, the minimum local content should be 45.percent to qualify as local or domestic manufacturer.\n\nSeller has to ensure that operating system software etc comes preloaded with machine from respective OEM . Any deviation in respect of genuinity and authenticity of OS will attract severe penalty on part of seller as law of the land and contractual provisions. Buyer are also requested to verify the key no of OS etc with server of Microsoft/Linux before accepting machines to avoid complexity at latter stage.

Bid Specific Additional Terms and Conditions

1. Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for 2 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.
2. The buyer organization is an institution eligible for concessional rates of GST as notified by the Government of India. The goods for which bids have been invited fall under classification of GST concession and the conditions for eligibility of concession are met by the institution. A certificate to this effect will be issued by Buyer to the Seller after award of the Contract. Sellers are requested to submit their bids after accounting for the Concessional rate of GST. Applicable Concessional rate of GST : 5%
Notification No.and date : 45/2017 and 47/2017 dated 14/11/2017
3. Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods
4. IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.
5. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be

given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1 + 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 20% of total value.

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---