



Dated: 01-07-2020

Bid Document

| Bid Details | | | | |
|---|---|--|--|--|
| Bid End Date/Time | 13-07-2020 10:00:00 | | | |
| Bid Opening Date/Time | 2020-07-13 10:30:00 | | | |
| Bid Life Cycle (From Publish Date) | 90 (Days) | | | |
| Bid Offer Validity (From End Date) | 70 (Days) | | | |
| Ministry/State Name | Ministry Of Science And Technology | | | |
| Department Name | Department Of Scientific And Industrial Research (dsir) | | | |
| Organisation Name | N/a | | | |
| Office Name | Csir - Central Salt & Marine Chemical Research Institute | | | |
| Total Quantity | 3 | | | |
| Item Category | Workstation , Line Intractive UPS with AVR , Multifunction Machines MFM | | | |
| Experience Criteria | 2 Year (s) | | | |
| MSE Exemption for Years Of Experience | Yes | | | |
| Startup Exemption for Years Of Experience | Yes | | | |
| Document required from seller | Experience Criteria, Certificate (Requested in ATC), OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer | | | |
| Bid to RA enabled | No | | | |
| Primary product category | Workstation | | | |
| Inspection Required | No | | | |

EMD Detail

| Required | Required | No |
|----------|----------|----|
|----------|----------|----|

ePBG Detail

| Advisory Bank | State Bank of India |
|-------------------------------------|---------------------|
| ePBG Percentage(%) | 10.00 |
| Duration of ePBG required (Months). | 14 |

(a). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

Beneficiary:

Director

Csir - Central Salt & Marine Chemical Research Institute, Department of Scientific and Industrial Research (DSIR), N/A, Ministry of Science and Technology G B MARG Bhavnagar (Director, Csir-csmcri, Bhavangar)

Splitting

Bid splitting not applied.

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

Workstation (1 pieces)

Technical Specifications

* As per GeM Category Specification

| Specification | Specification Name | Values | Bid Requirement (Allowed Values) |
|---------------|------------------------------------|------------------------|-------------------------------------|
| Processor | Processor Make | Intel | Intel, AMD |
| | Processor Generation | NA | 7, 8, 9, NA, 10 Or higher |
| | Number of Cores per Processor | 18 | * |
| | Processor Base Frequency (GHz) | 2.2 | * |
| | Processor Turbo Frequency (GHz) | 3.9 | * |
| | Processor Description | Intel Xeon Gold Series | * |
| | Processor Number | Intel Xeon Gold 5220 | * |

| | Number of sockets available on the motherboard | 2 | * |
|------------------|--|---|--|
| | Number of Sockets populated with the Processors | 1 | 1, 2 Or higher |
| | Cache (MB) | 24.75 | 1 - 64 |
| | Out of Band Management | Intel vPro | * |
| Type | Form Factor | Desktop | Mobile - Standard, Mobile - Detachable, Mobile - Convertible, Mobile - Ultra Small Form Factor, Desktop, Rack - 1U, Rack - 2U |
| Motherboard | Chipset Number | Intel C621 | * |
| | Expansion Slots (PCle x 1) (Number) | 0 | * |
| | Expansion Slots (PCle x 4) (Number) | 0 | * |
| | Expansion Slots (PCle x 8) (Number) | 1 | * |
| | Expansion Slots (PCle x 16) (Number) | 2 | * |
| | Expansion Slots (PCI) (Number) | 0 | * |
| Graphics | Graphics Type | Dedicated/Discrete | Integrated, Dedicated/Discrete |
| | Number of Graphic Cards | 1 | 0, 1, 2, 3, 4 Or higher |
| | Graphic Card Description | nVIDIA Quadro RTX 6000 24GB | * |
| Operating System | Operating System (Factory Pre-Loaded) | Ubuntu Linux | Windows 10 Professional 64 bit, Ubuntu Linux, Redhat Linux, DOS |
| | Recovery Image Media | NA | * |
| | OS Certification | Windows,Redhat Linux | * |
| Applications | Applications Compatible with the Workstation (Requisite document may be furnished as and when demanded by the buyer) | Adobe After Effects CS/CC,Adobe Premiere Pro CS/CC,ANSYS Fluent,ANSYS Workbench | * |
| Memory | RAM Type | DDR4 | * |
| | RAM Speed (MHz) | 2666 | * |

| | Type of Memory | ECC RDIMM | * |
|--------------------------------|--|-----------|--|
| | RAM Size (GB) | 192 | * |
| | Total Numbers of DIMM Slots Available | 6 | * |
| | Number of DIMM Slots Populated | 6 | * |
| | RAM Expandability upto using spare DIMM Slots (GB) | 384 | * |
| Primary Storage /Boot Drive | Type of Drives used to populate the internal Bays | SSD | SATA, SAS, SSD, PCle, NA |
| | Number of Drives | 2 | * |
| | RAID for Operating System | 1 | 0, 1, NA |
| | Capacity of each Drive (GB) | 256 | * |
| Secondary Storage | Type of Drives used to populate the Internal Bays | SATA | SATA, SAS, SSD, PCIe, NA |
| | Total number of Internal Bays available for SATA Drive | 3 | * |
| | Number of Internal Bays populated with SATA Drive | 2 | * |
| | Each SATA Drive Capacity (GB) | 8000 | 500, 1000, 2000, 4000, 8000, 0, 6000 Or higher |
| | Speed of each SATA Drive (RPM) | 7200 | * |
| | Total SATA Drive Capacity (GB) | 16000 | * |
| | Total number of Internal Bays available for SAS Drive | 0 | * |
| | Number of Internal Bays populated with SAS Drive | 0 | * |
| | Capacity of each SAS Drive (GB) | 0 | 300, 600, 900, 1200, 1800, 800, 0, 4000 Or higher |
| | Speed of each SAS Drive (RPM) | 0 | * |
| | Total SAS Drive Capacity (GB) | 0 | 300, 600, 900, 1200, 1800, 2100, 0, 4000 Or higher |

| | Total number of Internal Bays available for SSD | 0 | * |
|--------------|--|---------------------------------|--|
| | Number of Internal Bays populated with SSD Drive | 0 | * |
| | Capacity of each SSD Drive (GB) | 0 | 128, 256, 512, 1024, 2048, 800, 0 Or higher |
| | Total SSD Capacity (GB) | 0 | 128, 256, 384, 512, 768, 1024, 2048, 4096, 0, 5120 Or higher |
| | Total number of Internal Bays available for PCIe SSD | 0 | * |
| | Number of Internal Bays populated with PCIe Drive | 0 | 0, 1, 2, 3, 4, 5, 6, 7, 8 Or higher |
| | Capacity of each PCIe Drive (GB) | 0 | 128, 256, 512, 1024, 2048, 0 Or higher |
| | Total PCIe Drive Capacity (GB) | 0 | 128, 256, 512, 1024, 2048, 4096, 0, 1536 Or higher |
| | Class of PCIe Drives | NA | * |
| RAID | RAID level | 1 | * |
| | Number of RAID Controller Ports | 8 | 2, 3, 4, 5, 6, 7, 8, 10, 0 Or higher |
| | Speed of RAID Controller Ports (Gbps) | 12 | 6, 12, 0 Or higher |
| | RAID Controller Cache (GB) | 0 | * |
| Connectivity | Type of Ethernet Ports | Dual Gigabit NIC 10/100/1000 | * |
| | Number of Ethernet Ports | 2 | 1, 2, 3, 4, 6 Or higher |
| | Wireless Connectivity | No | Yes, No Or higher |
| | If Yes, Type of Wireless Connectivity | NA | Wi-Fi 802.11b/g/n, Wi-Fi 802.11ac, NA Or higher |
| | Bluetooth Connectivity | No | Yes, No Or higher |
| | If Yes, Version of Bluetooth Available | 0 | 4, 4.1, 4.2, 5, 0 Or higher |
| Ports | Number of USB Version 2 Point 0 Ports | 0 | * |
| | | | |

| | Number of USB Version 3 point 0 / 3 point 1, Gen 1 Ports | 4 | * |
|---------------|--|----------------|------------------------------------|
| | Number of USB Version 3 point 1, Gen 2 Ports | 0 | * |
| | Number of USB Type C Ports | 0 | * |
| | Number of VGA Ports | 0 | * |
| | Number of HDMI Ports | 0 | * |
| | Number of Mini DP Ports | 0 | * |
| | Number of DP Ports | 4 | * |
| Display | Display Availability | Monitor | Integrated, Monitor, NA |
| | Display Size (cm) | 72- 81 | * |
| | Display Type | Non Touch | Non Touch, Touch, NA Or higher |
| | Panel Type | Flat | Flat, Curved, NA Or higher |
| | Panel Technology | NA | IPS, TN, VA, OLED, NA Or higher |
| | Display Resolution (Pixels) | 1920x1080 | * |
| | LED Backlit | No | * |
| | TCO Compliance for Monitor | NA | * |
| | Colour Gamut | NA | * |
| | Monitor Stand | Standard | * |
| Power | Maximum Power (Watts) | 1200 | * |
| | Minimum Power Efficiency (%) | - | * |
| | Power Management Unit | Yes | * |
| | Redundant Power Supply | No | Yes, No Or higher |
| Input Devices | Mouse Connectivity, If available | Wired | * |
| | Type of Mouse, If available | Optical Scroll | * |
| | Keyboard Connectivity, if available | Wired | * |
| | Type of Keyboard, if available | Standard | * |
| | Type of Keyboard in | NA | * |

| | On Site OEM Warranty (Year) The Golde | 3 | 1, 2, 3, 4, 5 Or higher |
|----------------------|--|--|-------------------------|
| Warranty | Battery Warranty in case of Mobile Workstation | 0 | * |
| | Maximum Operating Humidity (%RH) | 90 | * |
| | Minimum Operating Humidity (%RH) | 10 | * |
| | Maximum Operating Temperature (DEgree C) | 35 | * |
| Operating Conditions | Minimum Operating Temperature (Degree C) | 10 | * |
| | Other Certification Available (Requisite certificate may be furnished as and when demanded by the buyer) | - | * |
| | ROHS Compliance | Yes | * |
| | BIS Registration Number and its Validity | - | * |
| Certification | BIS Registration under CRS of Meity (Requisite certificate may be furnished as and when demanded by the buyer) | Yes | * |
| | Carry Case in case of Mobile Workstation | NA | * |
| | Finger Print Reader in case of Mobile Workstation | NA | * |
| | Type of Bundled Software | Standard Performance Improvement Software | * |
| | Availability of Bundled Software | Yes | * |
| | Docking Station for Mobile Workstation | No | * |
| | Security | S/W Based | * |
| | Number of External Bays | 2 | * |
| Generic | Optical Drive | - | * |

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

| S | Consignee/Reporti ng Officer | Address | Quantity | Delivery Days |
|---|-----------------------------------|---|----------|---------------|
| 1 | Patel Rakeshkumar Mavjibhai | 364001,CSIR-Central Salt & Marine Chemicals Research Institute Gijubhai Badheka Marg Bhavnagar 364001 | 1 | 30 |

Line Intractive UPS With AVR (1 pieces)

Technical Specifications

* As per GeM Category Specification

| Specification | Specification Name | Values | Bid Requirement (Allowed Values) |
|----------------|--|--|---|
| GENERIC | Rating in KVA/ min VAH capacity of battery (KVA/VAH) | 1.0/168 | 1.0/168 |
| | Technology | MOSFET-PWM | MOSFET-PWM |
| | Type of battery | SMF-VRLA confirming to JISC-8702 Pt 1,2 &3 | SMF-VRLA confirming to JISC-8702 Pt 1,2 &3 |
| | Rated Output (Volt) | Single phase sinewave 230v AC , 50Hz | Single phase sinewave 230v AC , 50Hz |
| | Degree of protection | IP-21 | IP-21 |
| | Inverter Efficiency (%) | > / = 60% | > / = 60% |
| | Warranty for the battery from the date of delivery | 1 year | 1 year |
| | Warranty for Line Interactive UPS | 1 Year | 1 Year |
| | Installation and commissioning instructions | Yes | * |
| CONSTRUCTIONAL | Type of enclosure | Mild steel | * |
| | AC out put for printer (not through inverter) | No | No |

| | Inverter out put socket AC out put for printer (not through inverter) | Not applicable | Not applicable |
|-------------------------------|--|------------------------------------|--------------------------------|
| FUNCTIONAL | Total harmonic distorsion (%) | < / = 40% | * |
| | Input (Volt) | Single phase sinewave(160-280v) | * |
| | Switching over time (Mili sec) | Maximum 10 milli seconds | * |
| | Overload Time (Minutes) | > / = 10 minutes | > / = 10 minutes |
| | Load power factor | > / = 0.6 | > / = 0.6 |
| | Variation in AVR output in AC mode (%) AVR (Voltage regulation) output voltage in AC Mode | 230 Volts +/-9%, 50 +/-3 Hz | 230 Volts +/-9%, 50 +/-3 Hz |
| | Overload (%) | >/=10% | * |
| | Variation in output voltage in battery mode (%) (UPS output voltage in battery mode) | 230 Volts +/- 10% | * |
| | Variation on output frequency in battery mode (Hz) | =0.5</td <td>*</td> | * |
| PROTECTION | Protection against (over discharge) discharge per 12v battery (Volt) | 10.5 | * |
| | Protection for outside input voltage range: If Input voltage goes outside the range 160 to 280 Volts, the system shall switch over to battery mode | Yes | * |
| | Protection against short circuit of UPS | Yes | * |
| | Protection for over voltage and over load | Yes | * |
| REPORTS AND CERTIFICATIONS | Damp heat Test at 45 degree , RH -95% for 2-cycle as per IS:9000 pt-5/sec-1 | Yes | * |
| | Dry heat Test at 45 degree for 16 Hrs as per IS:9000 pt-3/sec-5 | Yes | * |

| | Cold Test as per IS:9000 pt-2/sec-4 | Yes | * |
|--|--|--------------------------|---|
| | Availability of the type test report from central Govt./NABL/ILAC Accredited Lab | Yes | * |
| | Type Test certificate no. and date | 1 | * |
| | Name Of Lab | - | * |
| | Address of Lab | - | * |
| | As per Meity (Government of India) guidelines UPS shall have valid BIS CRS certifications as applicable | Not applicable presently | * |

^{*} Specifications highlighted in bold are the Golden Parameters.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

| S.No. | Consignee/Reporti ng Officer | Address | Quantity | Delivery Days |
|-------|-----------------------------------|--|----------|---------------|
| 1 | Patel Rakeshkumar Mavjibhai | 364001,CSIR-Central Salt & Marine Chemicals Research Institute Gijubhai Badheka Marg Bhavnagar 364001 | 1 | 30 |

Multifunction Machines MFM (1 pieces)

Technical Specifications

* As per GeM Category Specification

| Specification | Specification Name | Values | Bid Requirement (Allowed Values) |
|---------------|-------------------------|-----------------------|--|
| Ungrouped | Print Technology | Laser | Laser |
| | Type of Machine | Multifunction Machine | Multifunction Machine |
| | Type of Printing | Mono | Mono |
| | Cartridge Technology | Composite Cartridge | Composite Cartridge, Separate Drum and Toner (Mono Component), Separate Drum and Toner (Dual |

^{*} Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

| | | Component) Or higher | |
|---|-------|--|--|
| Developer Unit | No | * | |
| Platen/Flatbed Size | A4 | A4, A3, Legal Or higher | |
| Paper Size (Original/Image) | A4/A4 | A4/A4 | |
| RAM size (MB) | 512 | 128, 256, 512, 1024, 2048, 4096, 6144, 3072, 320, 768, 1536, 1500, 758, 1250, 2560, 7168, 5120, 8192, 16384, 2816, 4000, 2000, 10240 Or higher | |
| Hard Disk Capacity(GB) | 0 | 0, 8, 128, 160, 256, 320, 500, 1024, 250, 640, 32, 1000, 2000, 3000 Or higher | |
| Minimum Speed per Minute as per ISO/IEC 24734 in A4 Size-Mono | 35 | 35, 36, 38, 40, 43, 45, 46, 47, 50, 52, 55, 60, 61, 65, 70, 71, 75, 80, 90, 95, 100, 105, 110, 51, 56, 41, 120, 130, 160, 57, 85, 81, 53 Or higher | |
| Minimum Speed per Minute as per ISO/IEC 24734 in A4 Size-Colour | 0 | 12, 15, 16, 18, 20, 22, 23, 24, 25, 26, 27, 28, 30, 31, 35, 36, 4, 4.4, 5, 5.7, 5.8, 6.8, 10, 10.4, 15.5, 40, 50, 60, 5.5, 11, 46, 120, 130, 160, 65, 45, 7, 34, 55, 38, 56, 75, 81, 19, 71, 0, 21, 53 Or higher | |
| Minimum Speed per Minute as per ISO/IEC 24734 in A3 Size-Mono | 0 | * | |
| Minimum Speed per Minute as per ISO/IEC 24734 in A3 Size- Colour | 0 | * | |
| Scanning Feature Availability | Yes | Yes Or higher | |
| Duplexing Feature Availability | Yes | Yes Or higher | |
| Faxing Feature Availability | No | Yes, No Or higher | |
| Speed of Fax, If Fax Feature is available | NA | * | |
| Networking Feature Availability | Yes | Yes Or higher | |

| | | 1 |
|--|----------------------|-----------------------------------|
| If yes, Type of Network Interface | Ethernet 10/100/1000 | * |
| Wi-Fi Availability | No | Yes, No Or higher |
| If yes,Wi-Fi Type | NA | * |
| Original Document Feeder Type | ADF | ADF, DADF/RADF, SPDF Or higher |
| Feeder Capacity (Number) | 50 | * |
| Number of Main Paper Tray | 1 | 1, 2, 3, 4, 5 Or higher |
| Each Main Paper Tray Capacity (Number) | 250 | * |
| Bypass Facility | Yes | Yes Or higher |
| If Yes, Bypass Tray Capacity | 100 | * |
| Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Cyan colour (Number of prints) | 0 | * |
| Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Yellow colour (Number of prints) | 0 | * |
| Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Magenta colour (Number of prints) | 0 | * |
| Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19752/2004(E) for Black (Number of prints) | 1500 | * |
| Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Cyan (Number of Prints) | 0 | * |

| Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Yellow (Number of Prints) | 0 | * |
|---|-------|-------------------------|
| Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Magenta (Number of Prints) | 0 | * |
| Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Black (Number of Prints) | 0 | * |
| Duty Cycle (No of Prints/month) | 80000 | * |
| Minimum Operating Temperature (Degree C) | 15 | * |
| Maximum Operating Temperature (Degree C) | 32 | * |
| Minimum Operating Humidity (%RH) | 20 | * |
| Maximum Operating Humidity (%RH) | 80 | * |
| BIS Registration under CRS of Meity | Yes | * |
| BIS Registration Number | - | * |
| Other Certifications Available | UL,CE | * |
| Dimension (mm x mm x mm) | - | * |
| Weight (Kg) | - | * |
| On Site OEM Warranty (Year) | 1 | 1, 2, 3, 4, 5 Or higher |

^{*} Specifications highlighted in bold are the Golden Parameters.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

^{*} Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

| | | T | | |
|-------|-----------------------------------|---|----------|---------------|
| S.No. | Consignee/Reporti ng Officer | Address | Quantity | Delivery Days |
| 1 | Patel Rakeshkumar Mavjibhai | 364001,CSIR-Central Salt & Marine Chemicals Research Institute Gijubhai Badheka Marg Bhavnagar 364001 | 1 | 30 |

Bid Specific Additional Terms and Conditions

- 1. **Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.
- 2. Non return of Hard Disk: As per Buyer organization's Security Policy, Faulty Hard Disk of Servers/Desktop Computers/ Laptops etc. will not be returned back to the OEM/supplier against warranty replacement.
- 3. **Upload Manufacturer authorization:** Wherever Authorised Distributors are submitting the bid, Manufacturers Authorisation Form (MAF)/Certificate with OEM details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid.
- 4. Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for 2 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.
- 5. The buyer organization is an institution eligible for concessional rates of GST as notified by the Government of India. The goods for which bids have been invited fall under classification of GST concession and the conditions for eligibility of concession are met by the institution. A certificate to this effect will be issued by Buyer to the Seller after award of the Contract. Sellers are requested to submit their bids after accounting for the Concessional rate of GST. Applicable Concessional rate of GST: 5% Notification No.and date: 45/2017 and 47/2017 dated 14/11/2017
- 6. Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods
- 7. IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.
- 8. Bid reserved for Make In India products: Procurement under this bid is reserved for purchase from Class 1 local suppliers as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document 50%. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.
- 9. Indian suppliers of this item are not allowed to participate and/ or compete in procurement by some foreign governments. Bidders / products from such countries are not eligible / not allowed to participate in this bid in terms of clause 1 (d) of Public Procurement (Preference to Make in India) Order, 2017
- 10. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be

given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 20% of total value.

- 11. Preference to Make In India products (For bids less than 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document 50%. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.
- 12. Preference to Make In India products (for bids greater than 200 Crore) (can also be used in Bids less than 200 Crore but only after exemption by competent authority as defined in Deptt of Expenditure OM dated 28.5.2020): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document 50%. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.
- 13. Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 10 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG).Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imberse the cost of such service / rectification to the Buyer.
- 14. Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in

the name of Director CSIR-CSMCRI,Bhavnagar A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.

This Bid is also governed by the General Terms and Conditions

---Thank You---