

Bid Document

Bid Details	
Bid End Date/Time	10-08-2022 10:00:00
Bid Opening Date/Time	10-08-2022 10:30:00
Bid Offer Validity (From End Date)	75 (Days)
Ministry/State Name	Ministry Of Science And Technology
Department Name	Department Of Scientific And Industrial Research (dsir)
Organisation Name	N/a
Office Name	Csir - Central Salt & Marine Chemical Research Institute
Total Quantity	136
Item Category	Revolving Chair (Q3) , Executive Table (Q3) , Meeting Table (Q3) , Centre Table (Q3) , Almirah Steel-IS:3312 (Q3)
Years of Past Experience Required for same/similar service	2 Year (s)
MSE Exemption for Years Of Experience	Yes
Startup Exemption for Years Of Experience	Yes
Document required from seller	Experience Criteria,Certificate (Requested in ATC),OEM Authorization Certificate,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	No
Primary product category	Almirah Steel-IS:3312
Time allowed for Technical Clarifications during technical evaluation	3 Days
Evaluation Method	Total value wise evaluation

EMD Detail

Advisory Bank	State Bank of India
EMD Percentage(%)	2.00
EMD Amount	57515

ePBG Detail

Advisory Bank	State Bank of India
---------------	---------------------

ePBG Percentage(%)	3.00
Duration of ePBG required (Months).	14

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

Beneficiary:

DIRECTOR

Csir - Central Salt & Marine Chemical Research Institute, Department of Scientific and Industrial Research (DSIR), N/A, Ministry of Science and Technology GIJUBHAI BADHEKA MARG
(Director Csir Csmcri)

Splitting

Bid splitting not applied.

MII Purchase Preference

MII Purchase Preference	Yes
-------------------------	-----

MSE Purchase Preference

MSE Purchase Preference	Yes
-------------------------	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria". If the bidder is OEM of the offered products, it would also be exempted from the "OEM Average Turnover" criteria. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria". If the bidder is OEM of the offered products, it would also be exempted from the "OEM Average Turnover" criteria. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
4. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .In case

Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

5. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY.

Revolving Chair (51 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	Pedestal Base	Glass Fibre Nylon with ABS/ NylonTwin Caster Wheels Minimum 5 Nos, of 50 mm Size
	Arm Material	Proppylene
	seat material	PU Foam covered with Fabric
	Material of Fabric Back Cover / Material for Backrest	Innner frame Upholstered with Mesh fabric and mounted on main assembly
	Material of Fabric of Seat Cover	100% polyester fabric
GENERAL	Chair Type	knee tilt synchronic
	Height Adjustment \pm 5(mm)	up to 100 mm
	Arm	With
	Type of backrest support	Backrest With Adjustable Lumber Support
	Arm Type	Adjustable
	Ergonomic Seat Design	Yes
	Back type	push back
	backrest has separate adjustable headrest	No
	Seat type	fixed
	Number of arm movement	2(up & down)
	Lumber support	integrated
DIMENSION	Overall Chair Height \pm15mm	990

Specification	Specification Name	Bid Requirement (Allowed Values)
	Backrest Height ±15mm	650.0
	Backrest Width ±10mm	440.0
	Seat Height ±15 mm	450
	Seat Width ±10 mm	480
	Seat Depth ±10 mm	520.0
	Thickness of MS Plate Joining the under structure with Seat	1.2
	Thickness of Plywood used in Seat ±1(mm)	12 mm
	Thickness of Plywood used in Backrest ± 1(mm)	N.A
	Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)	45 mm
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM)	N.A
WARANTEE	Warrantee period in number of years	1-year
CERTIFICATION	Test reports to be furnished to buyer on demand	YES
	BIFMA Certification	NO
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007 certified	YES
	Green guard certification	NO
	Aiota	YES

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Vankar Jayeshkumar Chaganlal	364001,CSIR-Central Salt & Marine Chemicals Research Institute Gijubhai Badheka Marg Bhavnagar 364001	51	45

Revolving Chair (10 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	Pedestal Base	, Nylon Base With Nylon Twin Caster Wheels Minimum Of 50-70 Mm Diameter
	Arm Material	pu foam bonded chrome coted
	seat material	pressed and moulded plywood with polypropylene cover
	Material of Fabric Back Cover / Material for Backrest	Innner frame Upholstered with Mesh fabric and mounted on main assembly
	Material of Fabric of Seat Cover	foam laminated mesh fabrics
GENERAL	Chair Type	central tilt
	Height Adjustment ± 5(mm)	up to 120 mm
	Arm	With
	Type of backrest support	backrest with lumber support of polypropylene at multilevel across back
	Arm Type	Adjustable
	Ergonomic Seat Design	Yes
	Back type	push back
	backrest has separate adjustable headrest	Yes
	Seat type	sliding
	Number of arm movement	8(Up & Down,Left & Right,Swivel And Front & Back)
	Lumber support	external & adjustable
DIMENSION	Overall Chair Height ±15mm	1220
	Backrest Height ±15mm	520.0
	Backrest Width ±10mm	500.0

Specification	Specification Name	Bid Requirement (Allowed Values)
	Seat Height ± 15 mm	480
	Seat Width ± 10 mm	480
	Seat Depth ± 10 mm	500.0
	Thickness of MS Plate Joining the under structure with Seat	2.0
	Thickness of Plywood used in Seat ± 1 (mm)	N.A
	Thickness of Plywood used in Backrest ± 1 (mm)	N.A
	Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)	55 mm
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM)	N.A
WARANTEE	Warrantee period in number of years	1-year
CERTIFICATION	Test reports to be furnished to buyer on demand	YES
	BIFMA Certification	YES
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007 certified	YES
	Green guard certification	YES
	Aiota	NO

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Vankar Jayeshkumar Chaganlal	364001, CSIR-Central Salt & Marine Chemicals Research Institute Gijubhai Badheka Marg Bhavnagar 364001	10	45

Executive Table (7 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Mode of supply	Knocked Down To Be Assembled At Consignee Site By The Seller
	Storage provided	No Storage
	Keyboard tray	Not provided
	Foot rest	Not Provided
MATERIAL	Table top Material	Three layer prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest
	Gable end and modesty panel material	Three Layer prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	Leg Material	NO LEGS
DIMENSION	Thickness of table top ± 2 mm	25.0
	Length of table top ± 10 mm	1500.0
	Depth of table ± 10 mm	450.0
	Height of table ± 10 mm	700.0
	Dimension of leg(mmXmm) ± 5mm	No legs
STORAGE UNIT	Number of Storage unit provided	No storage
FOOTREST	Material thickness of footrest ± 2mm	N.A
WARRANTY	Warrantee period in number of years	1
CERTIFICATION	Product having BIFMA certification	NO
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007 certified	YES

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Vankar Jayeshkumar Chaganlal	364001,CSIR-Central Salt & Marine Chemicals Research Institute Gijubhai Badheka Marg Bhavnagar 364001	7	45

Executive Table (8 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Mode of supply	Knocked Down To Be Assembled At Consignee Site By The Seller
	Storage provided	One side
	Keyboard tray	Not provided
	Foot rest	Not Provided
MATERIAL	Table top Material	Commercial Block Board BWP grade Conforming to IS 1659
	Gable end and modesty panel material	Commercial Block Board BWP grade Conforming to IS 1659
	Leg Material	Teak wood
DIMENSION	Thickness of table top ± 2 mm	25.0
	Length of table top ± 10 mm	1800.0
	Depth of table ± 10 mm	900.0
	Height of table ± 10 mm	750.0
	Dimension of leg(mmXmm) ± 5mm	50mmX50mm
STORAGE UNIT	Number of Storage unit provided	Double storage
	Width of storage unit ± 10mm	500mm
	Height of largest storage unit ± 5mm	280mm

Specification	Specification Name	Bid Requirement (Allowed Values)
FOOTREST	Material thickness of footrest $\pm 2\text{mm}$	12mm
COLOUR & FINISH	Table top finish	Laminate in colour with matt finish 0.6-0.8mm thickness of type S,F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on other side
WARRANTY	Warrantee period in number of years	1
CERTIFICATION	Product having BIFMA certification	NO
	OEM of offered product is ISO 9001:2015 certified	NO
	OEM of offered product is ISO 14001:2015 certified	NO
	OEM of offered product is ISO 18001:2007 certified	NO

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Vankar Jayeshkumar Chaganlal	364001, CSIR-Central Salt & Marine Chemicals Research Institute Gijubhai Badheka Marg Bhavnagar 364001	8	45

Meeting Table (1 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	Material of Table Top	MDF board conforming to grade II and type II of IS 14587/1998 with 0.4 mm thick PVC foil membrane precoated with PU layer and balancing laminate of 0.5 mm thick on the other side
GENERIC	Seating Capacity	10 SEATER

Specification	Specification Name	Bid Requirement (Allowed Values)
DIMENSION	Length in mm (Select NA in case of Round Table) $\pm 10(\text{mm})$	3000 mm
	Width in mm (Diameter in case of Round Table) $\pm 10(\text{mm})$	1100
	Thickness of Top $\pm 2(\text{mm})$	25, 30, 35, 45, 33 Or higher
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Vankar Jayeshkumar Chaganlal	364001, CSIR-Central Salt & Marine Chemicals Research Institute Gijubhai Badheka Marg Bhavnagar 364001	1	45

Centre Table (9 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Number of storage under top	Single storage in bottom portion
MATERIAL	Top material	Medium Density Fiberboard
	Frame material	Other wood
DIMENSION & THICKNESS	Dimension of Top (length X Breadth) $\pm 20\text{mm}$	1194mmX584mm
	Height of centre table $\pm 10\text{mm}$	460.0
	Thickness of top material (+/-2 mm)	18.0

Specification	Specification Name	Bid Requirement (Allowed Values)
	Thickness of frame material (+/- 1 mm)	18.0
WARRANTY	Warranty period in number of years	1

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Vankar Jayeshkumar Chaganlal	364001, CSIR-Central Salt & Marine Chemicals Research Institute Gijubhai Badheka Marg Bhavnagar 364001	9	45

Almirah Steel-IS:3312 (40 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	Material	M S Sheet conforming to Quality Grade D of IS:513/2008 with amend. no. 1 (Not as per IS 3312)
	Material of Almirah Doors	M S Sheet
	Sheet Thickness of Locker	N.A
	Length of Glass Sheet (+/- 10 mm)	N.A
	Width of Glass Sheet (+/- 10 mm)	N.A
	Sheet Thickness of door	0.8 mm (Minimum)
	Sheet Thickness of sides, back , Top and Bottom	0.8 mm (Minimum)
	Sheet Thickness of Shelves	0.6 mm
	Sheet Thickness of Pedestal in mm	NA
	Material of Lock	Brass and steel finish

Specification	Specification Name	Bid Requirement (Allowed Values)
	Material of Keys	steel
GENERIC	Conformity to Indian Standard IS:3312 latest	No
	No of shelves (Nos)	4
	Type of Shelves	Adjustable
	Locker Provided	No
	Locking System with the locker	NA
	Number of Doors (Nos)	2
	Door Stiffner upto full door height Provided with the almirah doors	No
	Number of Hinges with each door (Nos) - No hinges if having sliding door with top hanging arrangement	3
	Number of Glass Sheet fixed in each Almirah door (Nos)	N.A
	Construction	Knocked Down To Be Assembled At Consignee Site By The Seller
	Lock	Three Way bolting device controlled by lock
DIMENSION	Height (Without Pedestal) (in mm) (+/- 10 mm)	2000
	Width (+/- 7 mm)	1023.0
	Depth (+/- 5 mm)	486.0
	Inside Height of Locker (+/- 5 mm)	N.A
	Inside Width of Locker (+/- 5 mm)	N.A
	Inside Depth of Locker (+/- 5 mm)	N.A
	Width of Stiffner (+/- 5 mm)	N.A
	Thickness of MS Sheet of Stiffner	N.A
	Stiffened Pedestal height in mm (± 2 mm)	NA
	Pedestal Width in mm (± 2 mm)	NA
COLOUR & FINISH	Finish	powder coated
WARRANTY	WARANTEE PERIOD IN NUMBER OF YEARS	1

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Vankar Jayeshkumar Chaganlal	364001,CSIR-Central Salt & Marine Chemicals Research Institute Gijubhai Badheka Marg Bhavnagar 364001	40	45

Almirah Steel-IS:3312 (10 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

* [As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	Material	M.S sheet conforming to commercial quality CR-1, Grade 340 of IS 513:2008 (reaffirmed 2013)(Fifth Revision)Amdt. no.1
	Material of Almirah Doors	M S Sheet
	Sheet Thickness of Locker	0.7 mm
	Length of Glass Sheet (+/- 10 mm)	350 mm
	Width of Glass Sheet (+/- 10 mm)	305 mm
	Sheet Thickness of door	0.8 mm (Minimum)
	Sheet Thickness of sides,back , Top and Bottom	0.8 mm (Minimum)
	Sheet Thickness of Shelves	0.6 mm
	Sheet Thickness of Pedestal in mm	0.8 mm (Minimum)
	Material of Lock	steel
	Material of Keys	steel
GENERIC	Conformity to Indian Standard IS:3312 latest	Yes
	No of shelves (Nos)	4
	Type of Shelves	Fixed

Specification	Specification Name	Bid Requirement (Allowed Values)
	Locker Provided	Yes
	Locking System with the locker	YES
	Number of Doors (Nos)	2
	Door Stiffner upto full door height Provided with the almirah doors	No
	Number of Hinges with each door (Nos) - No hinges if having sliding door with top hanging arrangement	2
	Number of Glass Sheet fixed in each Almirah door (Nos)	N.A
	Construction	Welded
	Lock	Three Way bolting device controlled by 6 lever lock
DIMENSION	Height (Without Pedestal) (in mm) (+/- 10 mm)	1980
	Width (+/- 7 mm)	760.0
	Depth (+/- 5 mm)	486.0
	Inside Height of Locker (+/- 5 mm)	290 mm
	Inside Width of Locker (+/- 5 mm)	380 mm
	Inside Depth of Locker (+/- 5 mm)	430 mm
	Width of Stiffner (+/- 5 mm)	125 mm
	Thickness of MS Sheet of Stiffner	0.6 mm
	Stiffened Pedestal height in mm (±2 mm)	120
	Pedestal Width in mm (±2 mm)	70
COLOUR & FINISH	Finish	powder coated
WARRANTY	WARANTEE PERIOD IN NUMBER OF YEARS	1

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Vankar Jayeshkumar Chaganlal	364001, CSIR-Central Salt & Marine Chemicals Research Institute Gijubhai Badheka Marg Bhavnagar 364001	10	45

Buyer Added Bid Specific Terms and Conditions

1. Generic

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

2. Generic

Bidders shall quote only those products in the bid which are not obsolete in the market and has at least 2 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

3. Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

4. Generic

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for 2 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

5. Generic

Installation, Commissioning, Testing, Configuration, Training (if any - which ever is applicable as per scope of supply) is to be carried out by OEM / OEM Certified resource or OEM authorised Reseller.

6. Generic

1. The Seller shall not assign the Contract in whole or part without obtaining the prior written consent of buyer.
2. The Seller shall not sub-contract the Contract in whole or part to any entity without obtaining the prior written consent of buyer.
3. The Seller shall, notwithstanding the consent and assignment/sub-contract, remain jointly and severally liable and responsible to buyer together with the assignee/ sub-contractor, for and in respect of the due performance of the Contract and the Sellers obligations there under.

7. Generic

Upload Manufacturer authorization: Wherever Authorised Distributors are submitting the bid, Manufacturers Authorisation Form (MAF)/Certificate with OEM details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid.

8. Generic

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

9. Generic

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

10. Scope of Supply

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

11. Purchase Preference (Centre)

Indian suppliers of this item are not allowed to participate and/ or compete in procurement by some foreign governments. Bidders / products from such countries are not eligible / not allowed to participate in this bid in terms of clause 1 (d) of Public Procurement (Preference to Make in India) Order, 2017

12. Purchase Preference (Centre)

Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 20% of total value.

13. Service & Support

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

14. Service & Support

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

15. Certificates

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

16. Forms of EMD and PBG

Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name DIRECOTR CSMCRI Account No. 30267310153 IFSC Code SBIN0010863 Bank Name SBI Branch address WAGHAWADI BHAVNAGAR .

Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

17. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of DIRECTOR CSIR CSMCRI A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.

18. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Payment online through RTGS / internet banking also (besides PBG which is allowed as per GeM GTC). On-line payment shall be in Beneficiary name DIRECTOR CSMCRI Account No. 30267310153 IFSC Code SBIN0010863 Bank Name SBI Branch address WAGHAWADI ROAD . Successful Bidder to indicate Contract number and name of Seller entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer in place of PBG within 15 days of award of contract.

Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity/restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and/or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents/clauses shall also be null and void. If any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations. Also, GeM does not permit collection of Tender fee / Auction fee in case of Bids / Forward Auction as the case may be. Any stipulation by the Buyer seeking payment of Tender Fee / Auction fee through ATC clauses would be treated as null and void.

[This Bid is also governed by the General Terms and Conditions](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---